

## **Earth Bars**

## Technical data

Material: High conductivity copper bar (C101)

Steel Galvanised base

Insulator M10 brass insert resin insulator

Brass fixing bolts nuts and washers

50 mm centres



We can manufacture any

We can manufacture any size, style or combination of bar(s) required, our bars can also be supplied with different studs sizes stainless steel base and fixings ETC. Tinned copper bars are also available.

Code	Description	Length	Base width
EB60	6 way no link	450 mm	70 mm
EB80	8 way no link	550 mm	70 mm
EB120	12 way no link	800 mm	70 mm
EB160	16 way no link	1050 mm	70 mm
EB200	20 way no link	1250 mm	70 mm

Code	Description	Length	Base width
EBDL	Test Link Only	125 mm	70 mm
EB61	6 way single link	525 mm	70 mm
EB81	8 way single link	625 mm	70 mm
EB121	12 way single link	875 mm	70 mm
EB161	16 way single link	1125 mm	70 mm
EB201	20 way single link	1325 mm	70 mm



Tinned version available to order only on some sizes.

Code	Description	Length	Base width
EB62	6 way twin link	600 mm	70 mm
EB82	8 way twin link	700 mm	70 mm
EB122	12 way twin link	950 mm	70 mm
EB162	16 way twin link	1200 mm	70 mm
EB202	20 way twin link	1400 mm	70 mm

2 Crowther Road, Crowther Industrial Estate, Washington, Tyne & Wear. NE38 0AQ Tel: 0191 4161517 Fax: 0191 4161521 E-mail: sales@ronbar.co.uk Web: www.ronbar.co.uk

YOU CAN FOLLOW US ON SOCIAL MEDIA







